Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



1919 Price List KLEHM'S NURSERIES ESTABLISHED 1856 ARLINGTON HEIGHTS, ILLINOIS

To facilitate ready reference, we print here the prices of the stock grown in our nurseries. considering our prices, remember that we quote only on stock of first quality.

It is our endeavor to grow all our products just as well as they can be grown. From spring until fall, the nurseries are cultivated every week, and the plants are kept growing constantly. This, with rich soil, and frequent pruning and transplanting, makes them larger, thriftier, and more vigorous than those given only ordinary care. Severe winters prove the hardiness of the stock.

We pack our products exceedingly well. It is our practice to "puddle" the roots of shrubs and other stock (dip them in thick mud) so all air will be excluded from the roots. Protected this way, and additionally safeguarded by the good wrapping or boxing that we give them, our trees and shrubs reach their destination in perfect growing condition. With stock true to name, grown right, dug carefully, and packed securely we can please every planter.

We shall be glad to welcome prospective planters at our nurseries, where we can show them many interesting specimens of rare and desirable plants, and to assist them in selecting personally the stock that they desire.

Fruit Department

| Apples | | | Peaches |
|---|--|--|--|
| Each 7 to 8 ft. (1¼ to 1½ in. diam.) | \$12 50 9 00 | 75 0 | Each 10 100 3 to 4 ft |
| 5 to 7 ft | | 40 0 30 0 | 3 to 4 ft 60 5 00 |
| Dwarf Apples | | | Grapes |
| Duchesse of Oldenburg, Jonathan, Liebling, McIn- tosh Red, Red Astrachan, Stannard, Stayman's Winesap and Yellow Transparent. Dwarf ap- ples must not be planted with the graft below the ground. | 4 00 | | Agawam. 2 yrs. 25 2 25 20 00 Brighton, 2 yrs. 30 2 50 22 50 Campbell's Early. 2 yrs. 35 3 00 22 50 Clinton, 2 yrs. 25 2 00 18 00 Concord. 2 yrs. 20 1 75 15 00 Delaware. 2 yrs. 35 3 00 27 50 Martha. 2 yrs. 25 2 25 20 00 Moore's Diamond. 2 yrs. 25 2 5 20 00 Moore's Early. 2 yrs. 25 2 5 20 00 |
| Pears | | | Niagara. 2 yrs. 25 2 25 20 00 Worden. 2 yrs. 25 2 25 20 00 |
| 5 to 7 ft | $\begin{smallmatrix}5&00\\4&00\end{smallmatrix}$ | 45 0 35 0 | Currants |
| Dwarf Pears | | | Black Cmampion. 1 yr 10 80 6 00 2 yrs 15 1 00 8 50 |
| Bartlett, Beurre d'Anjou, Clapp's Favorite, Du- chesse d'Angouleme, Howell, Kieffer, Seckel, Tyson, Wilder and Wor- den Seckel. 2 yr. old 60 | 5 00 | | Black Naples. 1 yr |
| Cherries | | | 2 yrs |
| Early Richmond. On Morello. 4 to 5 ft | 5 00 | 60 0 45 0 50 0 | 2 yrs. 25 25 0 18 00 Pomona. 1 yr. 10 80 6 00 2 yrs. 15 1 00 8 0 Red Cross. 1 yr. 10 80 6 00 2 yrs. 15 1 25 8 0 Red Dutch. 1 yr. 10 80 6 00 2 yrs. 10 1 00 8 00 Victoria. 1 yr. 10 50 4 00 |
| European. Japanese and Native. 5 to 7 ft | | $\begin{array}{cc} 45 & 0 \\ 35 & 0 \end{array}$ | 2 yrs |

| Gooseberries Each Oregon Champion and Tri- | 10 | 100 | | Strawberries Each Aroma, Excelsior, Klon- | 10 | : | 100 |) |
|---|--------------------------------------|-------------|----------------------------|--|---|----|-----|----------|
| umph. 2 yrs. \$0 25 \$ Downing. 1 yr. 15 2 yrs. 20 Josslyn (Red Jacket). 1 yr. 20 2 yrs. 25 | 2 00 1 00 1 50 1 50 2 00 | \$ 8 12 | | dike, Senator Dunlap, etc. (per 1,000, \$7.00) \$ (Fall - bearing, Progressive and Superb. (\$20.00 per 1,000) | 50 50 | \$ | - | 00 50 |
| Raspberries Cumberland, Gregg, Kansas and Marlboro Columbian Golden Queen Cuthert Eaton and St. Regis | 60 75 60 50 60 | 3 3 2 | 00 50 50 50 50 | Asparagus Barr's Mammoth, Bonvailet, Columbian Mammoth White, Conover's Colossal, Giant Argenteuil and Palmetto. 2 yrs. (per 1,000, \$8.00) | 50 | | 1 | 25 |
| Blackberries. Ancient Briton, Eldorado, Mersereau and Rathbun Dewberries | 75 50 | | 00 | | $\begin{array}{ccc} 2 & 00 \\ 1 & 50 \\ & & 25 \\ & & 25 \end{array}$ | | 1 | 85 25 |

Ornamental Department

| DECIDUOUS TREE | S | | DECIDUOUS TR | EES—Con | tinue | d. | | |
|--|--|----------------|----------------------------|---------|-------------------|------------|-------|-----|
| | | | ALNUS. Alder. | Each | 10 | | 100 | |
| ACER. Maple. Each | 10 | 100 | Communis (Glutinosa | | | | | |
| Dasyearpun. 6 to 8 ft \$0 75 \$ | | | 8 to 10 ft | \$1 35 | | | | |
| 8 to 10 ft 90 | 7 50 | 60 00 | 2 in diam | | 12 5 | | | |
| 10 (0 12 10 | 10 00 | 85 00 | $2\frac{1}{2}$ in diam | | $\frac{18}{25}$ (| | | |
| Dasycarpum Wierii Laci- | 12 50 | 1 | 3 in. diam | | 10 (| | | |
| | 15 00 | | 2 in. diam | 1 50 | 12 5 | 50 | | |
| Negundo. 6 to 8 ft 75 | 6 00 | 50 00 | $2\frac{1}{2}$ in diam | | 18 (| 0.0 | | |
| 8 to 10 ft | 7 00 | 60 00 85 00 | Leciniata. 6 to 8 f | 150 | 05 | 0.0 | | |
| | $\begin{array}{cccc} 10 & 00 \\ 12 & 50 \end{array}$ | 89 00 | 3 in. diam 8 to 10 ft | | 25 (| <i>J</i> 0 | | |
| | 17 50 | | 3 to 10 1t | 2 00 | | | | |
| | 10 00 | | ARALIA. Angelica Tre | ee. | | | | |
| | 20 00 | | Japonica, 3 to 4 ft. | | | | \$ 35 | |
| 2½ in. diam 3 00 | 25 00 | | 4 to 5 ft | 75 | 6 | 0.0 | 50 | 00 |
| $\frac{3}{10}$ in. diam | | | BETULA. Birch. | | | | | |
| Platanoides Reitenbachi. | | | Alba. 6 to 8 ft | 1 00 | 9 | 0.0 | | |
| 5 to 6 ft 1 75 | 15 00 | | 8 to 10 ft | 1 50 | 12 | 50 | | |
| 6 to 8 ft 2 00 | 17 50 | | Alba Laciniata Pendu | ıla, | | | | |
| 8 to 10 ft 2 50 | 20 00 | | 5 to 6 ft | | 8 | | | |
| Platanoides Schwedleri, | 15 00 | | 6 to 8 ft | 1 25 | 10 | 0.0 | | |
| 6 to 8 ft 1 75 | $\begin{array}{cccc} 15 & 00 \\ 20 & 00 \end{array}$ | | CARPINUS. Hornbeam | 1. | | | | |
| 8 to 10 ft 2 25 1½ to 2 in. diam 3 00 | 27 50 | | Betulus, 5 to 6 ft | | | | | |
| $\frac{1}{2}$ to $\frac{2}{2}$ in. diam $\frac{4}{2}$ 00 | 35 00 | | | | | | | |
| 2½ to 3 in. diam 5 00 | 45 00 | | CATALPA, | | | | | |
| Pseudo-platanus. | | | Bungei, 4 ft | | | 0.0 | | |
| 2 to $2\frac{1}{2}$ in. diam 4 00 | | | 5 ft | | | 50 | | |
| 2½ to 3 in. diam 5 00 Rubrum Bush-form. | | | Foliis Argentea, l | | 10 | 0.0 | | |
| 5 to 6 ft 1 50 | 12 50 | | Aurea, Foliis Purp | | | | | |
| Saccharinum. 6 to 8 ft 1 00 | 8 50 | 75 00 | 6 to 8 ft | | 9 | 00 | | |
| 8 to 10 ft 1 25 | 10 00 | 90 00 | Speciosa, 6 to 8 ft. | 60 | 5 | 0.0 | | 0.0 |
| 10 to 12 ft 1 50 | 12 50 | 110 00 | 8 to 10 ft | | | 0.0 | 60 | 0.0 |
| Tartaricum Ginnala. | | | 2 in. diam | | | | | |
| 3 to 4 ft., bush form 75 | $\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$ | | 2 ½ in. diam 3 in. diam | | | | | |
| 4 to 5 ft., bush form 1 00 | | | 3½ in. diam | 5 00 | | | | |
| AESCULUS, Horse-Chest- nut. | | | 4 in. diam | | | 0.0 | | |
| Glabra, 4 to 5 ft 75 | 6 00 | | CELTIS. Hackberry. | | | | | |
| 6 to 7 ft 1 00 | 9 00 | | Occidentalis, 5 to 6 | ft 75 | 6 | 0.0 | | |
| Hippocastanum. | 11 50 | | 6 to 8 ft | 1 00 | | 0.0 | | |
| 6 to 8 ft | $\begin{array}{cccc} 11 & 50 \\ -6 & 00 \end{array}$ | | 8 to 10 ft | | | | | |
| Oliminiani, a co a recent | 0 00 | | 2 in. diam | | . 22 | 50 | | |
| AILANTHUS. Tree of Heaven. 8 to 10 ft 1 25 | 10 00 | | CERASUS. Bird Cher | | | | | |
| 21/6 in. diam 3 50 | | | Acida Semperflorens. | 4 | | | | |
| 3 in. diam 4 00 | | | 8 to 10 ft | 1 50 | , | | | |

| DECIDUOUS TREES—Contin | ued. | | DECIDUOUS TREES—Continued. |
|--|---|----------------|--|
| | 10 | 100 | POPULUS. Poplar. Each 10 100 |
| CERASUS—Continued. Caproniana Ranunculiflora. | | | Alba Richardi (new). 5 to 6 ft\$ 100 \$ 9 00 |
| 8 to 10 ft\$1 50 | | | Angulata Cordata Robasta. |
| | 6 00 | | 6 to 8 ft |
| 8 to 10 ft | 9 00 | | 10 to 12 ft 90 7 50 60 0 |
| 2 in. diam 2 50 | | | Aurea Van Geerti. 4 to 5 ft 50 4 00 |
| 2½ in. diam 3 00 | 0.00 | | 8 to 10 ft 75 6 00 |
| | 6 00 6 00 | | 10 to 12 ft 1 25 10 00 Bolleana. 6 to 8 ft 60 5 00 |
| 2 in. diam 1 50 | 0 00 | | 8 to 10 ft 75 6 00 |
| 2½ in. diam 2 00 3 in. diam 3 00 | | | 10 to 12 ft |
| CERCIS. Judas Tree. | | | 8 to 10 ft 60 5 00 40 0 |
| Canadensis. 3 to 4 ft 75 | | | 10 to 12 ft |
| CRATAEGUS. Hawthorn. | | | Fastigiata. 6 to 8 ft 50 4 00 35 0 |
| Azarolas Carrieri, Crux- | | | 8 to 10 ft 60 5 00 40 0 Norway. 6 to 8 ft 50 4 00 35 0 |
| Gaili, Oxyacantha, Oxy- acantha F L. Alba PL, | | | 8 to 10 ft 60 5 00 40 0 |
| Oxyacantha Fl. Cocci- | | | Trichocarpa, 6 to 8 ft 75 6 00 PRUNUS. Plum. |
| neo Pl., and Siberica. 2 to 3 ft | 4 00 | | Blireiana Fl. Pl., Moseri |
| 3 to 4 ft 75 | 6 00 | | Fl. Pl. and Pissardi, |
| 4 to 5 ft 1 00 ELAEAGNUS. Olive. | 7 50 | | Purple-leaf Varieties. On native Plum. |
| | 6 00 | 50 00 | 3 to 4 ft |
| | 0 00 | 75 00 | 5 to 6 ft 75 6 00 |
| Sylvatica. 4 to 5 ft 2 00 | | | PYRUS. Flowering Crab. |
| Sylvatica Laciniata, 4 to 5 ft 3 00 | | | Augnstifolia. 2 to 3 ft 75 6 50 3 to 4 ft 1 00 8 50 |
| Sylvatica Parpurea, | | | Baccata fructo maximo |
| 4 to 5 ft | | | Eliza Rathke peudula, Floribuuda, Floribuuda |
| Sylvatica Purpurea Ri- versi. 4 to 6 ft 2 50 | | | Atrosanguinea, Flori- |
| Sylvatica Tricolor. | | | bunda Nivea polypetala, Floribunda Scheideck- |
| 1 to 1½ ft 2 00 FRAXINUS. Ash. | | | eri, Parkmani, Spectab- |
| | 0 00 | 85 00 | ilis Alba Fl. Pl., Spec- tabilis Rosea Fl. Pl., |
| | 2 50 | 100 00 | Spectabilis Kaido. |
| | 0 0 0 | | 3 to 4 ft |
| Excelsior Tota Aurea. 4 to 5 ft 1 00 | 9 00 | | QUERCUS. Oak. |
| 5 to 6 ft 1 50 1 | 2 50 | | Banisteri. 4 to 5 ft 1 25 10 00 |
| 8 to 10 ft | 5 00 | | Bicolor. 12 to 15 ft 5 00 40 00 - Coccinea. 4 to 6 ft 1 25 10 00 |
| | 6 00 | | Macrocarpa. 4 to 5 ft 1 25 10 00 Palustris. 4 to 6 ft 1 25 10 00 |
| 8 to 10 ft 1 25 1 | 0 00 | | Robur. 4 to 5 ft 75 6 00 |
| 2 in. diam | 8 00 | | 5 to 6 ft 90 7 50 6 to 8 ft 1 25 10 00 |
| 6 to 8 ft 90 | 8 00 | | 8 to 10 ft 2 00 17 50 |
| | $\begin{array}{ccc} 2 & 50 \\ 0 & 00 \end{array}$ | | 10 to 12 ft 3 00 25 00 Robur Concordia, |
| GYMNOCLADUS. Kentucky Coffee | Tree. | | 3 to 4 ft 1 50 |
| | 8 50 | | 4 to 5 ft |
| 8 to 10 ft 1 25 1 JUGLANS. Walnut. | 0 00 | | Select specimens of Oak, \$3.00 to \$10.00 each |
| Cinerea. Nigra. | | | SALISBURIA. Maidenhair Tree. Adiantifolia. 6 to 8 ft 1 00 8 50 |
| 2 77 1 177 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 5 00 | | 8 to 10 ft 1 25 10 00 |
| 0 00 0 10111111111111111111111111111111 | \$ 00 | | 10 to 12 ft 1 50 SALIX. Willow. |
| LIRIODENDRON. Tulip Tree. | | | Babylonica. 4 to 5 ft 40 3 00 |
| | 6 00 8 00 | | 6 to 8 ft |
| | 0 00 | | Discolor. 4 to 5 ft 30 2 00 15 0 |
| MAGNOLIA | | | 6 to 8 ft |
| | 0 00 | | 6 to 8 ft 50 4 00 |
| MORUS. Mulberry. Tartarica. 5 to 6 ft 50 | 4 00 | | Niobe Aurea. 3 to 5 ft 40 3 00 Regalis. 3 to 4 ft 25 2 00 |
| Tartarica Pendula. | 1 (., | | 4 to 5 ft |
| 5 ft. 2 yrs. Grafted 2 00 | | | Vitellina Anrantica. |
| PHELLODENDRON. Cork Tree. | 0 00 | | 4 to 5 ft |
| | 2 50 | | Vitellina Britzersis, |
| PLATANUS, Sycamore. | | | 4 to 5 ft |
| Orientalis Acerifolium. | 0.00 | 77 OC | Wisconsin Weeping, |
| 8 to 10 ft 1 25 1 | 9 00 | 75 00 85 00 | 4 to 5 ft |
| | 2 50 | 100 00 | 8 to 10 ft 60 5 00 |

100

| Title List | | | | |
|--|---|-----------------|---|-----|
| | | | | |
| DECIDUOUS TREES—Con | | ed. | 100 | |
| SORBUS. Mountain Ash. Each | | F 0 | 100 | |
| Aria Chrysophylla. 5 ft\$1 00 | \$ 8 6 | $\frac{50}{00}$ | | |
| 6 to 8 ft 1 00 | | 50 | | |
| Aucuparia Folii aurea. 4 to 5 ft | | | | |
| Ancaparia Fendula. | | | | |
| 7 to 8 ft | 10 | 0.0 | | |
| men, 2 to 3 in. diam. 5 00 | 45 | 0.0 | | |
| TAXODIUM. Cypress. | | | | |
| Distichum. 4 to 5 ft 1 00 | 9 | 00 | | |
| TILIA, Linden. Basswood. | | | | |
| Americana, 6 to 8 ft 1 00 8 to 10 ft 1 25 | | $\frac{50}{00}$ | | |
| 2½ in. diam 2 00 | 18 | 00 | | |
| 3 in. diam 3 00 3½ in. diam 4 00 | | 00 | | |
| 4 in diam 5 00 | 45 | 00 | | |
| Dasystyla. 5 to 6 ft | | | | |
| Europaea. 6 to 8 ft 90 | 8 | 50 | | |
| 10 to 12 It 1 30 | | $\frac{50}{00}$ | | |
| $2\frac{1}{2}$ in. diam | 25 | 00 | | |
| 3½ in. diam 5 00 | | 0.0 | | |
| 4 in. diam 7 00 Europaea Argentea. | , 60 | 00 | | |
| 8 to 10 ft 1 75 | | 00 50 | | |
| 10 to 12 ft 2 00 | 17 | 90 | | |
| ULMUS, Elm. Americana. 6 to 8 ft 85 | 5 7 | 50 | \$ 65 | 0.0 |
| | | 50 | 75 | 0.0 |
| 8 to 10 ft 1 00 10 to 12 ft 1 33 2 in. diam 2 50 | | $\frac{50}{50}$ | $\begin{array}{c} 100 \\ 200 \end{array}$ | 0.0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | 50 | $\frac{250}{250}$ | 00 |
| 3 in. diam 3 50 | | | | |
| $3\frac{1}{2}$ in. diam | | | | |
| 41% in diam10 00 | | | | |
| Americana Variegata. 10 to 12 ft |) | | | |
| Campestris, 6 to 8 ft 85 | 5 7 | 50 | 65 | 0.0 |
| 8 to 10 ft 1 00 10 to 12 ft 1 3 | $\frac{0}{5} \frac{8}{11}$ | 50 50 | $\begin{array}{c} 75 \\ 100 \end{array}$ | 00 |
| 2 in. diam 2 5 | 0 - 22 | 50 | | |
| 2½ in. diam 3 00 | | | | |
| 31/2 in. diam 5 0 | | | | |
| Campestris Corylifolia rubra. | 5 10 | 0.0 | | |
| 8 to 10 ft 1 b | 0 12 | 50 | | |
| 10 to 12 ft 2 0 | 0 15 | 0.0 | | |
| Campestris Crispa. 6 to 8 ft | 0 | | | |
| 8 to 10 ft 2 0 | | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | | |
| 3 in. diam 5 0 | 0 | | | |
| Campestris Dapiere aurea. | 0 7 | 50 | | |
| 6 to 8 ft 1 2 | 5 - 10 | | | |
| 8 to 10 ft 2 0 Campestris Doveii. | 0 15 | 50 | | |
| 10 to 12 ft $\frac{1}{2}$ | | 0.0 | | |
| 12 to 15 ft 2 2 Campestris Huntingdoni. | 5 20 | 0.0 | | |
| 10 to 12 ft 1 7 | | 0.0 | | |
| 12 to 15 ft 2 2 Campestris media varie- | ə 40 | 00 | | |
| gata Argentea. | 0 0 | 0.0 | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 0 & 8 \\ 5 & 10 \end{array}$ | | | |
| 10 to 12 ft | 0 12 | | | |
| Campestris stricta pur- purea, 8 to 10 ft 1 2 | 5 10 | 0.0 | | |
| 10 to 12 ft 1 5 | 0 12 | | | |
| Campestris Superma. | 5 15 | 0.0 | | |
| 12 to 15 ft 2 2 | 5 20 | | | |
| Campestris Umbraculifera. | 0 9 | 0.0 | | |
| 2 ft. grafted 1 2 | 5 10 | 0.0 | | |
| 9 ft grafted 1 5 | $\begin{array}{ccc} 0 & 12 \\ 5 & 20 \end{array}$ | 0.0 | | |
| f ft grafted 2 7 | 5 25 | 0.0 | | |
| 6 ft. grafted 3 2 | $\begin{array}{ccc} 15 & 30 \\ 10 & 35 \end{array}$ | | | |
| 7 ft. grafted 4 0 | | | | |

| LMUS—Contii Scabra pendu downi. | | Each | 10 |
|---------------------------------------|-----------|------|---------|
| 7 ft. 1 | and 2 yrs | | \$15 00 |

U

CONIFERS—EVERGREENS

If Evergreens are to be balled and burlaped, add 10 cts. each for 1 and 2 feet, 12 cts. each for 2 to 3 feet, 15 cts. each for 3 to 4 feet, 20 cts. each for 4 to 5 feet, and 25 cts. each for 5 to 6 ft. A

| to 6 ft. | | | | | | |
|--|------|--------|----------------------|-----------------|-----------------|----------|
| BIES. Spruce. | | | ch | 10 | | 100 |
| Alba. 4 to 5 ft | \$ | 3 | 50 | \$30 | | |
| 5 to 6 ft | | 5 6 | $\frac{00}{50}$ | 45 | 00 | |
| 7 to 8 ft | | 8 | 0.0 | | | |
| Alba Aurea. 1½ to 2 ft | | 2 | 50 | | | |
| 2 to 3 ft | • • | 3 1 | 00 | 8 | 0.0 | |
| Balsamea. 2 to 3 ft 3 to 4 ft | | 1 | $\frac{00}{25}$ | 10 | 00 | |
| Canadensis. 2 to 2½ ft | | | 25 | 10 | 0.0 | |
| 2½ to 3 ft | | 2 | 25 | 20 | 0.0 | |
| Canadensis Compacta. | | | | | | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | • • | 2 | 00 | | | |
| Caerulea Hudsoni, | • • | | 0.0 | | | |
| 2 to 3 ft | | 3 | 00 | | | |
| Concolor, 2 ft | | 2 | 50 | | | |
| 3 ft | ٠. | 3 | $\frac{00}{35}$ | 9 | 0.0 | |
| 2 to 3 ft | | | 35 75 | $\frac{3}{6}$ | $\frac{00}{50}$ | \$ 50 00 |
| Excelsa. 1½ to 2 ft 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft | | 1 | 20 | 10 | 0.0 | 85 00 |
| 4 to 5 ft | ٠. | 1 2 | 75 50 | $\frac{15}{22}$ | $\frac{00}{50}$ | 125 00 |
| 6 to 7 ft | | 3 | 50 | 32 | 50 | 200 00 |
| 1 10 0 11 | | 5 | 0.0 | | | |
| Excelsa Aurea. | | 2 | 00 | | | |
| Excelsa Aurea. 2 to 2½ ft 2½ to 3 ft | : : | 3 | 00 | | | |
| Excelsa Barryi. | | | | | | |
| 5 to 6 ft 6 to 7 ft | | 6 | 0.0 | | | |
| 6 to 7 ft Excelsa conica. 6 to 7 | | 6 | 00 | | | |
| 7 to 8 ft | 11. | 7 | - 90 | | | |
| 8 10 9 11 | | 10 | 0.0 | | | |
| Excelsa elegans pendula 4 to 5 ft | a. | 8 | 0.0 | | | |
| Excelsa Ellwangeriana, | | 0 | 00 | | | |
| 1½ to 2 ft | | 3 | 50 | | | |
| Excelsa Finedonensis. | | 8 | 0.0 | | | |
| 7 to 8 ft 8 to 10 ft | | | | | | |
| Evenlyn Manytroen | | | | | | |
| 2 to 3 ft | | 2 | | | | |
| 2 to 3 ft | | 8 | | | | |
| Excelsa pumila gianca, | | | | | | |
| 3 ft | | 4 | 0.0 | | | |
| Excelsa pnmila pygmae 1 to 1½ ft | ea. | 2 | 0.0 | | | |
| Excelsa pyramidalis. | | | | | | |
| Excelsa pyramidalis. 8 to 10 ft | | 10 | 0.0 | | | |
| Nigra Doumetii. 6 to 7 | ft. | 6 | 0.0 | | | |
| Parryana glanca, 2 to 2½ ft | | 9 | 50 | | | |
| Danish and C | | 3 | . 50 | | | |
| 1½ to 2 ft | | 1 | | 12 | 50 | |
| 2 to 3 ft | | 3 | | | 50 | |
| Pungens Blue. 1½ to 2 | ft. | 2 | 0.0 | 17 | 50 | |
| 2 to 2½ ft | | 2 | 50 | 22 | 50 | |
| 3 to 3½ ft | | 3 | | | 50 50 | |
| Tangens Green. 1½ to 2 ft 2 to 3 ft 3 to 4 ft Pungeus Blue. 1½ to 2 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft Pungeus Kosteiiana. | | | | | | |
| 2 to 2½ ft 2½ to 3 ft | | 3 | 5 0 1 0 0 | | | |
| 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft | | 5 | 00 | | | |
| JUNIPERUS. Juniper. | | | | | | |
| Cnpressifolia Foemina. | | | . = 0 | | | |
| 1½ to 2 ft | | 1 | 2 50 1 5 0 | | | |

| CONFERN-EXPRIGREENS—Continued. JUNPHILLY Londinued. Each 10 10 10 10 10 10 10 1 | Almgton Heights, minois | Frice List |
|---|---|--|
| Japonilea Aurea. | | |
| 1 to 1½ ft | | |
| Receiver a Summarts. | 1 to 1½ ft\$2 00 \$17 50 | Occidentalis pyramidalis. |
| Sabina Tameriscitolia. Sabina Varientia. 1 to 14 ft | | 2 to 3 ft 1 50 12 50 \$100 00 |
| Sabina Transcription. 2 to 1 to 1 by ft | 18 to 24 in 2 50 | 4 to 5 ft |
| Sabina Variegata 1 1 1 5 1 1 1 5 1 5 1 1 | | Occidentalis Sibirica. |
| Sincessix Varients 1 | Sabina Variegata. | 15 to 18 in |
| 1 | | 2 to 2½ ft 2 50 22 50 |
| Secretical Nama 12 to 2 ft 1 50 12 50 | 1½ to 2 ft 1 50 | |
| Virginiana, 2 to 3 ft 1 50 15 50 15 15 15 15 | | 15 to 18 in 50 |
| Virginian Elegantissium Lace, 15, to 2 ft. | Virginiana, 2 to 3 ft 1 00 7 50 | 18 to 24 in |
| Manual Canada 2 | Virgiuiana Elegantissima | 2½ to 3 ft 1 50 |
| Manual Canada 2 | Lee, 1½ to 2 ft 2 50 | 3 to 3½ ft |
| Virginian Schotti | Virginiana Glauca, | 4 to 5 It 3 00 |
| The property is a second property 1 | | |
| PINUS Pine | 2 to 3 ft 2 00 | lutesceus. 1 to 1½ ft 75 |
| Mughus 15 to 18 in 2 00 17 50 | | 1½ to 2 ft 1 25 |
| 18 to 24 in. | | 2 ½ to 3 ft., 2 50 |
| Strebubs | 18 to 24 in 2 50 22 50 | DECIDIOUS SUBJECT |
| AMELANCHER, Juneberry, Springeries Spr | Strobubs. 4 to 5 ft 2 50 22 50 | DECIDOOUS SHRUBS |
| Sylvestris 2 to 3 ft 1 25 10 00 | 5 to 6 ft 3 25 30 00 | AMELANCHIER. Juneberry. |
| ## 10 5 ft. | Sylvestris. 2 to 3 ft 1 25 10 00 | Canadensis. 2 to 3 ft \$0 30 \$ 2 50 |
| \$ 10 6 ft. 3 25 30 00 6 6 to 8 ft. 7 00 60 00 6 to 8 ft. 7 00 60 00 60 60 60 8 ft. 7 00 60 00 60 60 60 8 ft. 7 5 6 00 2 25 0 25 50 22 5 | | |
| RETINOSPORA. Plumosa. 2 to 2½ ft. 1 50 PAXUS. Yew. Cuspidata Brevifolia. 15 to 18 in. 1 75 THUYA. Arboryltae. Occidentalis. 2 to 3 ft. 1 00 8 50 3 to 4 ft. 2 50 20 00 5 to 6 ft. 3 00 25 00 Occidentalis Argentea. 15 to 18 in. 1 25 15 to 18 in. 1 75 15 to 18 in. 1 75 15 to 18 in. 1 00 Occidentalis Columbia. 1 to 1½ ft. 1 00 Occidentalis Columbia. 1 to 1½ ft. 1 00 8 50 18 to 24 in. 1 25 10 00 18 to 24 in. 1 125 10 00 Occidentalis Columbia. 1 to 1½ ft. 2 50 22 50 18 to 24 in. 1 25 10 00 Occidentalis Columbia. 1 to 1½ ft. 2 50 22 50 18 to 24 in. 1 25 10 00 Occidentalis Columbia. 1 to 1½ ft. 2 50 22 50 Occidentalis Columbia. 1 to 15 in. 1 00 8 50 2 10 2½ ft. 2 50 22 50 Occidentalis Columbia. 1 to 15 in. 1 00 8 50 18 to 24 in. 1 25 10 00 Occidentalis Columbia. 1 to 15 in. 1 00 8 5 | 5 to 6 ft 3 25 30 00 | 4.73 |
| Planosa. 2 to 2½ ft. 1 50 PAXUS, Yew. Cuspidnta 15 to 18 in. 1 50 Cuspidnta Brevifolia. 15 to 18 in. 1 75 THUVA. Arborvitae. 3 to 4 ft. 1 50 13 50 3 to 4 ft. 1 2 50 13 50 5 to 5 ft. 2 3 00 25 00 5 to 5 ft. 3 00 25 00 5 to 6 ft. 3 00 25 00 Cocidentalis Argentea. 15 to 18 in. 1 75 1 10 1½ ft. 1 100 Cocidentalis Columbia. 1 to 1½ ft. 1 100 Cocidentalis Columbia. 1 to 1½ ft. 1 100 Cocidentalis Columbia. 1 to 1½ ft. 1 100 Cocidentalis Compacta. 12 to 15 in. 1 2 50 2 ½ to 2½ ft. 2 250 2 ½ to 3 ft. 4 00 3 50 Cocidentalis Elegantissium. 1 ½ to 2 ft. 2 50 2 ½ to 3 ft. 4 00 3 50 Cocidentalis Elegantissium. 1 ½ to 2 ft. 2 50 2 ½ to 3 ft. 4 00 3 50 Cocidentalis Elegantissium. 1 ½ to 2 ft. 2 50 2 ½ to 3 ft. 4 00 3 500 Cocidentalis Glubosa. 1 ½ to 15 in. 75 6 00 2 to 2½ ft. 2 250 2 ½ to 3 ft. 4 00 3 500 Cocidentalis Hovevi. 12 to 15 in. 75 6 00 18 to 2½ ft. 2 50 2 2 50 Cocidentalis Hovevi. 12 to 15 in. 1 00 8 50 18 to 24 in. 1 25 10 00 2 to 2½ ft. 2 50 2 2 50 Cocidentalis Hovevi. 12 to 15 in. 75 6 00 18 to 2½ ft. 2 50 2 2 50 Cocidentalis Hovevi. 12 to 15 in. 1 00 8 50 18 to 2½ ft. 2 50 2 2 50 Cocidentalis Hovevi. 12 to 15 in. 1 00 8 50 18 to 2½ ft. 2 50 2 2 50 Cocidentalis Hovevi. 12 to 15 in. 1 00 8 50 18 to 2½ ft. 2 50 2 2 50 Cocidentalis Hovevi. 12 to 15 in. 1 00 8 50 18 to 2½ ft. 2 50 2 2 50 Cocidentalis Hovevi. 12 to 15 in. 1 00 8 50 18 to 2½ ft. 2 50 2 2 50 Cocidentalis Hovevi. 12 to 15 in. 1 00 8 50 18 to 2½ ft. 2 50 2 2 50 Cocidentalis Hovevi. 12 to 15 in. 1 00 8 50 18 to 2½ ft. 2 50 2 2 50 Cocidentalis Hovevi. 12 to 15 in. 1 00 8 50 18 to 2½ ft. 2 50 2 2 50 Cocidentalis Hovevi. 12 to 15 in. 1 00 8 50 18 to 2½ ft. 2 50 2 2 50 Cocidentalis Hovevi. 12 to 15 in. 1 00 8 50 18 to 2½ ft. 2 50 2 2 50 2 2½ to 3 ft. 4 00 8 50 18 to 2½ ft. 2 50 2 2 50 Cocidentalis Hovevi. 19 to 2 ft. 1 40 8 0 5 00 8 50 8 50 8 50 75 00 8 50 5 00 8 50 6 5 00 8 50 75 00 8 50 6 5 00 8 50 75 00 8 50 75 00 8 50 75 00 8 50 75 00 8 50 75 00 8 50 75 00 8 50 75 00 8 50 75 00 8 50 75 00 8 50 75 00 8 50 75 00 8 50 75 00 8 50 75 0 | | 3 to 4 ft |
| Cuspidata 15 to 18 in | | |
| Cuspidatu Brevifolia | | |
| 15 to 18 in | | |
| ARONIA Arborvitae | | 4 to 5 ft |
| Activation Act | | |
| Store Stor | | Arbutifolia and Metan- |
| Occidentalis Argentea. 15 to 18 in. 1 25 18 to 24 in. 1 75 2 to 2½ ft. 2 50 Occidentalis Columbia. 1 to 1½ ft. 1 00 Occidentalis Columbia. 12 to 15 in. 75 6 00 15 to 18 in. 1 00 8 50 15 to 18 in. 1 00 8 50 15 to 18 in. 1 00 8 50 2 ½ to 3 ft. 4 40 35 00 Occidentalis Elegantissima. 1½ to 2 ft. 2 50 22 50 2½ to 3 ft. 1 100 8 50 2 ½ to 3½ ft. 2 50 22 50 2½ to 3 ft. 1 100 8 50 Occidentalis Elegantissima. 1½ to 2 ft. 1 00 8 50 2 ½ to 3½ ft. 2 50 22 50 2½ to 3 ft. 1 100 8 50 2 ½ to 3 ft. 1 100 8 50 2 ½ to 3 ft. 1 100 8 50 2 ½ to 3 ft. 1 100 8 50 2 ½ to 3 ft. 1 100 8 50 2 ½ to 3 ft. 1 100 8 50 2 ½ to 3 ft. 1 100 8 50 2 ½ to 3 ft. 1 100 8 50 2 ½ to 3 ft. 1 100 8 50 2 ½ to 3 ft. 1 100 8 50 2 ½ to 3 ft. 1 100 8 50 2 ½ to 3 ft. 2 50 22 50 2 ½ to 3 ft. 4 00 35 00 Occidentalis Globosa. 12 to 15 in. 1 00 8 50 18 to 24 in. 1 25 10 00 2 to 2½ ft. 2 50 22 50 2½ to 3 ft. 4 00 35 00 Occidentalis Helegantis In. 1 00 8 50 18 to 24 in. 1 25 10 00 2 to 2½ ft. 2 2 50 22 50 2½ to 3 ft. 4 00 35 00 Occidentalis Hoveyi. 12 to 15 in. 1 50 8 50 18 to 24 in. 1 25 10 00 2 to 2½ ft. 2 2 50 22 50 2 ½ to 3 ft. 4 00 35 00 Occidentalis Little Gem. 10 to 12 in. 1 00 9 00 15 in. 1 00 9 00 15 in. 1 00 9 00 15 in. 1 100 9 00 15 in. 1 25 10 00 Occidentalis Plicata pyramidalis. 1 to 1½ ft. 75 6 00 1½ to 2 ft. 1 150 12 50 2 to 2½ ft. 2 2 50 22 50 2 ½ to 3 ft. 4 00 35 00 Occidentalis Plicata pyramidalis. 1 to 1½ ft. 75 6 00 15 in. 1 00 9 | 4 to 5 ft 2 50 20 00 | |
| 15 to 18 in | | |
| 2 to 2½ ft. 2 50 17 50 | 15 to 18 in 1 25 | 3 to 4 ft |
| Occidentalis Columbia. 1 to 1½ ft. | | 4 to 5 ft 2 00 17 50 |
| 15 to 15 in. | Occidentalis Columbia. | |
| 15 to 18 in. | | 15 to 18 in 25 2 00 14 00 |
| 18 to 24 in | | 18 to 24 in |
| Scented Shrub. | 18 to 24 in 1 25 10 00 | 3 to 4 ft. specimens 1 00 8 50 75 00 |
| Occidentalis Elegantissima. 1½ to 2½ ft. 35 3 00 2 to 2½ ft. 1 00 8 50 2½ to 3 ft. 1 50 12 50 3 ½ to 3 ft. 2 50 22 50 3 ½ to 4 ft. 2 50 22 50 4 to 5 ft. 45 4 00 30 00 4 to 5 ft. 3 5 3 00 25 00 3 to 4 ft. 4 5 4 10 3 0 00 4 to 5 ft. 4 5 4 00 3 0 00 4 to 5 ft. 3 5 3 00 25 00 3 to 4 ft. 4 5 4 10 3 0 00 4 to 5 ft. 3 5 3 00 25 00 3 to 4 ft. 4 5 4 10 3 0 00 4 to 5 ft. 4 5 4 10 3 0 00 4 to 5 ft. 4 5 4 10 3 0 00 4 to 5 ft. 4 5 4 10 3 0 00 4 to 5 ft. 4 5 4 10 3 0 00 4 to 5 ft. 4 5 4 10 3 0 00 4 to 5 ft. 4 5 4 10 3 0 00 4 to 5 ft. 4 5 4 5 4 10 3 0 00 4 to 5 ft. 4 5 4 5 4 10 3 0 00 4 to 5 ft. 4 5 4 5 4 10 3 0 00 4 to 5 ft. 4 5 4 5 4 10 3 0 00 4 to 5 ft. 4 5 4 5 4 10 3 0 00 4 to 5 ft. 4 5 4 5 4 10 3 0 00 4 to 5 ft. 4 5 5 6 00 5 00 | 2 to 2½ ft 2 50 22 50 2½ to 3 ft 4 00 35 00 | |
| 2 to 2½ ft. 1 00 8 50 2½ to 3 ft. 1 50 12 50 3 to 3½ ft. 2 00 17 50 3½ to 4 ft. 2 50 22 50 Occidentalis Globosa. 12 to 15 in. 75 6 00 18 to 2¼ ft. 2 50 22 50 Occidentalis Hoveyi. 12 to 15 in. 1 00 8 50 2½ to 3 ft. 4 00 35 00 Occidentalis Hoveyi. 12 to 15 in. 75 6 00 2½ to 3 ft. 4 00 35 00 Occidentalis Hoveyi. 12 to 15 in. 1 00 8 50 18 to 24 in. 1 25 10 00 2 to 2½ ft. 2 50 22 50 2½ to 3 ft. 4 00 35 00 Cecidentalis Little Gem. 10 to 12 in. 1 00 0ccidentalis Nana aurea. 12 in. 1 00 9 00 15 in. 1 25 10 00 Occidentalis Policata pyranidalis. 1 to 1½ ft. 75 6 00 15 to 1. 1 50 12 50 2½ to 2 ft. 1 2 50 2 to 2½ ft. 2 00 3 to 4 ft. 3 50 1½ to 2 ft. 4 5 3 50 CORCHORUS. Globe Flower; Kerria. Japonica flore pleno. 1½ to 2 ft. 35 3 00 25 00 25 00 2 to 3 ft. 4 ft. 35 00 CORCHORUS. Globe Flower; Kerria. Japonica flore pleno. 1½ to 2 ft. 35 3 00 3 to 4 ft. 35 3 00 25 00 CORCHORUS. Globe Flower; Kerria. Japonica flore pleno. 1½ to 2 ft. 35 3 00 | Occidentalis Elegantissima. | Florida, 11/ / 0 a |
| 2½ to 3 ft | | |
| 3½ to 4 ft. 2 50 22 50 Occidentalis Globosa. 12 to 15 in 75 6 00 18 to 24 in 1 25 10 00 2 to 2½ ft 2 50 22 50 18 to 24 in 1 25 10 00 2 to 15 in 75 6 00 18 to 24 in 1 00 8 8 50 18 to 24 in 1 25 10 00 2 to 2½ ft 2 50 22 50 2 ½ to 3 ft 4 00 35 00 Occidentalis Hoveyi. 12 to 15 in 75 6 00 18 to 24 in 1 00 8 8 50 2 ½ to 3 ft 4 00 35 00 Occidentalis Little Gem. 10 to 12 in 1 00 Occidentalis Nana aurea. 12 in 1 00 9 00 15 in 1 25 10 00 Occidentalis Nana aurea. 12 in 1 50 12 50 10 0ccidentalis Policata pyranidalis. 1 to 1½ ft 75 6 00 1½ to 2 ft 1 50 12 50 2 to 2½ ft 2 00 3 to 4 ft 3 50 CORCHORUS. Globe Flower; Kerria. Japonica flore pleno. 1½ to 2 ft 35 3 00 CORCHORUS. 35 3 00 2 to 3 ft 40 35 00 CEPHALANTHUS. Button Bush. Occidentalis 1½ to 2 ft 35 3 00 25 00 CEPHALANTHUS. White Fringe. CEPHALANTHUS. White Fringe. CEPHALANTHUS. White Fringe. CEPHALANTHUS. Button Bush. Occidentalis 1½ to 2 ft 35 3 00 25 00 CEPHALANTHUS. Button Bush. Occidentalis 1½ to 2 ft 35 3 00 2 to 3 ft 45 3 50 30 00 3 to 4 ft 50 4 50 35 00 CEPHALANTHUS. Button Bush. Occidentalis 1½ to 2 ft 35 3 00 2 to 3 ft 45 3 50 30 00 3 to 4 ft 50 4 50 35 00 CEPHALANTHUS. Button Bush. Occidentalis 1½ to 2 ft 45 3 50 30 00 3 to 4 ft 50 4 50 35 00 CEPHALANTHUS. Button Bush. Occidentalis 1½ to 2 ft 45 3 50 30 00 3 to 4 ft 50 4 50 35 00 CEPHALANTHUS. Button Bush. Occidentalis 1½ to 2 ft 45 3 50 30 00 3 to 4 ft 50 4 50 35 00 CEPHALANTHUS. Button Bush. Occidentalis 1½ to 2 ft 35 3 00 25 00 CEPHALANTHUS. Button Bush. Occidentalis 1½ to 2 ft 45 3 50 30 00 3 to 4 ft 50 4 50 35 00 CEPHALANTHUS. Button Bush. Occidentalis 1½ to 2 ft 45 3 50 00 CEPHALANTHUS. Button Bush. Occidentalis 1½ to 2 ft 45 3 50 00 CEPHALANTHUS. Button Bush. Occidentalis 1½ to 2 ft 45 3 50 00 CEPHALANTHUS. Button Bush. Occidentalis 1½ to 2 ft 45 3 50 00 CEPHALANTHUS. Button Bush. Occidentalis 1½ | 2½ to 3 ft 1 50 12 50 | Arborescens. 2 to 3 ft., 35 3 00 25 00 |
| 12 to 15 in. | 3½ to 4 ft 2 50 22 50 | 3 to 4 ft 45 4 00 30 00 |
| 15 to 18 in | | |
| 2 to 2½ ft 2 50 22 50 2½ to 3 ft 4 00 35 00 Occidentalis Hoveyi. 12 to 15 in 75 6 00 18 to 24 in 1 25 10 00 2 to 2½ ft 2 50 22 50 2½ to 3 ft 4 00 35 00 Occidentalis Little Gem. 10 to 12 in 1 00 0ccidentalis Nana aurea. 12 in 1 25 10 00 15 in 1 25 10 00 Occidentalis Nana aurea. 12 in 1 25 10 00 Occidentalis Policata pyranidalis. 1 to 1½ ft 75 6 00 1½ to 2 ft 1 50 12 50 2 to 2½ ft 2 00 3 to 4 ft 3 50 CORCHORUS. Globe Flower; Kerria. Japonica flore pleno. 1½ to 2 ft 3 50 Japonica flore pleno. 1½ to 2 ft 3 50 In policate flore pleno. 1½ to 2 ft 3 50 It to 5 ft 4 50 | 15 to 18 in 1 00 8 50 | 2 to 3 ft 60 5 00 |
| Bush Bush Bush Cocidentalis High to 2 ft 35 3 00 25 00 | 18 to 24 in 1 25 10 00 2 to 2½ ft 2 50 22 50 | CEPHALANTHUS. Button |
| 12 to 15 in | 2½ to 3 ft 4 00 35 00 | |
| 18 to 18 in. 1 25 10 00 2 to 2½ ft. 2 50 22 50 2½ to 3 ft. 4 00 35 00 Occidentalis Little Gem. 10 to 12 in. 1 00 15 in. 1 25 10 00 Occidentalis Plicata pyramidalis. 1 to 1½ ft. 75 6 00 1½ to 2 ft. 1 50 12 50 2 to 2½ ft. 2 00 3 to 4 ft. 3 50 4 to 5 ft. 4 50 3 to 4 ft. 50 4 50 35 00 CHIONANTHUS. White Fringe. Virginica. 2 to 3 ft. 60 5 00 3 to 4 ft. 75 6 00 CLETHRA. Sweet Pepper Bush. Alnifolia. 1½ to 2 ft. 45 3 50 CORCHORUS. Globe Flower; Kerria. Japonica flore pleno. 1½ to 2 ft. 3 50 | 12 to 15 in 75 6 00 | |
| 2 to 2½ ft. 2 50 22 50 2½ to 3 ft. 4 00 35 00 Occidentalis Little Gem. 10 to 12 in. 1 00 Occidentalis Nana aurea. 12 in. 1 00 9 00 15 in. 1 25 10 00 Occidentalis plicata pyranidalis. 1 to 1½ ft. 75 6 00 1½ to 2 ft. 1 50 12 50 2 to 2½ ft. 2 00 3 to 4 ft. 3 50 4 to 5 ft. 4 50 CHIONATHUS. White Fringe. Virginica. 2 to 3 ft. 60 5 00 3 to 4 ft. 75 6 00 CLETHRA. Sweet Pepper Bush. Alnifolia. 1½ to 2 ft. 45 3 50 CORCHORUS. Globe Flower; Kerria. Japonica flore pleno. 1½ to 2 ft. 35 00 | | |
| Occidentalis Little Gem. Virginica. 2 to 3 ft. 60 5 00 10 to 12 in. 1 00 9 00 3 to 4 ft. 75 6 00 12 in. 1 25 10 00 CLETHRA. Sweet Pepper 15 in. 1 25 10 00 Bush. Occidentalis plicata pyranidalis. 75 6 00 CORCHORUS. Globe Flow-er; Kerria. 1 ½ to 2 ft. 2 50 2 to 2½ ft. 2 00 3 to 4 ft. 3 50 Japonica flore pleno. 4 to 5 ft. 4 50 35 2 00 | 2 to 2½ ft 2 50 22 50 | |
| 10 to 12 in | | |
| 12 in. 1 00 9 00 15 in. 1 25 10 00 Occidentalis plicata pyramidalis. 1 to 1½ ft. 75 6 00 1½ to 2 ft. 1 50 12 50 2 to 2½ ft. 2 00 3 to 4 ft. 3 50 4 to 5 ft. 4 50 CLETHRA. Sweet Pepper Bush. Alnifolia. 1½ to 2 ft. 45 3 50 CORCHORUS. Globe Flower; Kerria. Japonica flore pleno. 1½ to 2 ft. 35 00 | 10 to 12 in 1 00 | 3 to 4 ft 75 6 00 |
| Bush. Alnifolia. 1½ to 2 ft 45 3 50 | 12 in 1 00 9 00 | |
| midalis. 1 to 1½ ft. 75 6 00 1½ to 2 ft. 1 50 12 50 2 to 2½ ft. 2 00 3 to 4 ft. 3 50 4 to 5 ft. 4 50 CORCHORUS. Globe Flow-er; Kerria. Japonica flore pleno. 1½ to 2 ft | 15 in | Bush. |
| 1½ to 2 ft. 1 50 12 50 2 to 2½ ft. 2 00 3 to 4 ft. 3 50 4 to 5 ft. 4 50 er; Kerria. Japonica flore pleno. 1½ to 2 ft. 35 3 00 | midalis. | 72 |
| 2 to 2½ ft | | |
| 4 to 5 ft | 2 to 2½ ft 2 00 | |
| | | 1½ to 2 ft 35 3 00 |
| | | |

| DECIDUOUS SHRUBS | | | | 1.00 | | DECIDUOUS SHRUBS—Continued. | 100 | |
|--|-----------------|------------|-----------------|------------------|-----|---|-----------------|-----|
| CORNUS. Dogwood. I Sibirica. 1½ to 2 ft\$ | Each :0 20 : | 10 \$ 1 | | $\frac{100}{12}$ | | MYRICA. Wax Myrtle. Each 10 Cerifera. 1 to 1½ ft\$0 50 | 100 | |
| 2 to 3 ft | 35 | 3 | 0.0 | 20 | 0.0 | PHILADELPHUS. Mock | | |
| 3 to 4 ft | 45 | 4 | 00 | 30 | 0.0 | Orange. | | |
| Sibirica aurea Gouchaulti. 1½ to 2 ft | 40 | 3 | 50 | | | Bonquet Blanc. 1 to 1½ ft. 35 \$ 3 00 2 to 3 ft 50 4 00 | | |
| Sibirica flaviramea. | 30 | 2 | E 0 | | | Coronarins, Falconeri, | | |
| 1½ to 2 ft 2 to 3 ft | 40 | | 00 | | | Grandifloris, M o n t Blanc, Nivalis, Scabra, | | |
| CYDONIA. Japan Quince. | | | | | | Speciosissimus, Sonv- | | |
| Japonica. 1½ to 2 ft | 25 | | 0.0 | 15 | 0.0 | enir de Billard and Sutzmanni, 2 to 3 ft 35 3 00 \$ | 20 | 0.0 |
| 2 to 3 ft 3 to 4 ft | $\frac{35}{50}$ | | $\frac{50}{00}$ | 35 | 0.0 | 3 to 4 ft | 30 | 00 |
| Japonica Candidissima | | | | | | 4 to 5 ft | $\frac{35}{75}$ | |
| (pinkish white), Cardi- nalis (red), Gaujardi | | | | | | Coronorius folius aurens. | 10 | 0.0 |
| (pink), Nivalis (white), | | | | | | 12 to 15 in | | |
| Sanguinea Piena (red); 3 yr. old | 50 | | | | | 1 to 2 ft | | |
| DEUTZIA. | | | | | | Lemoinei erectus. 2 to 3 ft 45 3 50 | | |
| Assorted, 2 to 3 ft | 35 | | 50 | 15 | | PRUNUS. Plum. | | |
| 3 to 4 ftGracilis | $\frac{45}{45}$ | | $\frac{50}{50}$ | 20 | 00 | For Prunus Pissardi, etc., see under tr | ees. | |
| Lemoinei compacta. | | | | | | Japonica alba flore pleno and rubra flore pleno, | | |
| 2 to 3 ft | 50 | 4 | 00 | | | on Native Plum 50 4 00 | | |
| DIERVILLA, Weigelia. Multiflora. 2 to 3 ft | 30 | 2 | 50 | 20 | 0.0 | Maritima, on Native Plum, 4 to 5 ft | 35 | 0.0 |
| Desmodium Penduliflorum. | | | | _ 0 | | Triloba, on Native Plum. | | |
| 1 yr. old | 50 | 4 | 00 | | | 2 to 3 ft | $\frac{35}{40}$ | |
| EVONYMUS. Strawberry or Spindle Tree. | | | | | | 4 to 5 ft 1 00 8 50 | 75 | |
| Alatus, 1 to 2 ft | 50 | | 00 | | | PTELEA. Hop Tree. | | |
| 2 to 3 ft 3 to 4 ft | $\frac{75}{90}$ | | 00 | | | Trifoliata. 2 to 3 ft 30 2 00 3 to 4 ft 35 2 50 | | |
| 4 to 5 ft | 2 00 | 17 | 50 | | | Trifoliata aurea. 2 to 3 ft. 35 3 00 | | |
| Americanus. 1½ to 2 ft Europaeus. 3 to 4 ft | $\frac{25}{35}$ | | 00 | 25 | 0.0 | 3 to 4 ft 45 4 00 | | |
| 4 to 5 ft | 50 | | 0.0 | | | RHAMNUS. Purging Buck- thorn. | | |
| 5 to 6 ft | 75 | ь | 0.0 | | | Cathartica. 2 to 3 ft 25 2 00 | | 0.0 |
| EXOCHORDA. Pearl Bush. Grandiflora. 2 to 3 ft | 50 | 4 | 0.0 | | | 3 to 4 ft | | 00 |
| 3 to 4 ft | 60 | | 00 | | | 5 to 6 ft 60 5 00 | 20 | 0 |
| FORSYTHIA. Golden Bell. | | | | | 0.0 | 6 to 8 ft | | |
| All varietles. 2 to 3 ft 3 to 4 ft | $\frac{35}{45}$ | | $\frac{00}{50}$ | | 0.0 | Frangula. 3 to 4 ft 30 2 50 | | |
| 4 to 5 ft | 60 | 5 | 00 | 40 | 9.0 | 4 to 5 ft | | |
| 5 to 6 ft | 75 | 6 | 0.0 | 90 | 0.0 | RHODOTYPOS. White Kerria. | | |
| HIBISCUS. Althea; Rose of Sharon. | | | | | | Kerriodes. 2 to 3 ft 45 3 50 | | |
| All varieties. 2 to 3 ft | 35 | 2 | 50 | 20 | 00 | 3 to 4 ft | | |
| HIPPOPHAE. Sea Buck- | | | | | | Aromatica. 1½ to 2 ft 50 4 00 | | |
| thorn. Rhamnoides. 2 to 3 ft | 35 | 3 | 0.0 | | | 2 to 3 ft 60 5 00 | | |
| 3 to 4 ft | 4.0 | 3 | 50 | | | Copallina. 2 to 3 ft 60 5 00 Cotinus. 3 to 4 ft 50 4 00 | | |
| 4 to 5 ft | 50 | 4 | 0.0 | | | Glabra. 3 to 4 ft 35 3 00 | | |
| HYDRANGEA. Aborescens, 1 to 1½ ft | 30 | 2 | 50 | | | Glabra Laciniata. 2 to 3 ft | | |
| Aborescens alba grandi- | | | | | | Typhina. 4 to 5 ft 40 3 50 | | |
| flora. 1½ to 2 ft 2 to 3 ft | $\frac{40}{50}$ | | $\frac{50}{00}$ | | | Typhina Laciniata. 5 to 6 ft | | |
| Paniculata graudiflora. | | | | 9.0 | 0.0 | RIBES. Flowering Currant. | | |
| 18 to 24 in | $\frac{35}{45}$ | | $\frac{00}{50}$ | | 00 | Alpinum, | | |
| Paniculata grandiflora. | | 0 | 0.0 | | | 5 to 7 ft. heavy speci- men | | |
| tree-shaped 3 to 4 ft HYPERICUM. St. John's | 75 | θ | 00 | | | Alpinus manum (new) 35 3 00 | 1.0 | 0.0 |
| Wort. | | | | | | Aureum. 2 to 3 ft 30 2 50 3 to 4 ft 35 3 00 | | 00 |
| Prolificum. 2 to 3 ft | 40 | 3 | 50 | | | 4 to 5 ft 50 4 00 | | |
| LESPEDEZA. Bush Cover. Bicolor. 2 and 3 yrs | 35 | 3 | 0.0 | | | ROBINIA. Locust. Hispida. 2 to 3 ft 50 4 00 | 95 | 00 |
| LIGUSTRUM. Privit. | | | | | | RUBUS. Raspberry. | 29 | 00 |
| Amurense, 15 to 18 in 18 to 24 in | $\frac{10}{15}$ | 1 | 80 00 | | 00 | Odoratus. 2 to 3 ft 30 2 50 | | |
| 2 to 3 ft | 20 | 1 | 50 | 12 | 0.0 | 3 to 4 ft | | |
| 3 to 4 ft Ovalafolium. 2 to 3 ft | $\frac{25}{15}$ | | $\frac{00}{25}$ | | 0.0 | SAMBUCUS. Elder. | | |
| Regelianum. 15 to 18 in. | $\frac{10}{25}$ | | 50 | , | | Laciniata and nigra aurea. 2 to 3 ft | 25 | 00 |
| LONICERA, Honeysuckle. | 40 | 0 | 0.0 | 9.5 | 0.0 | 3 to 4 ft 50 4 00 | 35 | 0.0 |
| All varieties. 2 to 3 ft 3 to 4 ft | 50 | 4 | 00 | 35 | 0.0 | 4 to 5 ft | 40 | 00 |
| 4 to 5 ft | 75 | 6 | 50 | 60 | 0.0 | Berry. | | |
| MAHONIA. Ashberry. Aquifolia. 1 to 2 ft | 35 | 3 | 0.0 | | | Argentea. 2 to 3 ft 45 4 00 3 to 4 ft 60 5 00 | | |
| | | | | | | | | |

| DECIDUOUS SHRUBS—Continued. | | DECIDUOUS SHRUBS— | -Conti | nued. | |
|--|----------------------|---|-------------------|------------------------------|-------------------------|
| | 00 | SYRINGA. Lilac—Continued. | ach : | 10 | 100 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 5 00 5 00 0 00 | Persica and Persica Alba, 2 to 3 ft | 60 \$ 8 75 | | |
| Bunalda, 1½ to 2 ft 40 3 00 Bunalda Anthony Water- cr, 15 to 18 in 40 3 00 Callosa Alba, 12 to 15 in. 40 3 00 | | Rothomagensis Rosea (new). 2 to 3 ft Souvenir de Ludwig Spath. 2 to 3 ft | | 6 00 | |
| Callosa Froebelli. 1½ to 2 ft | 0 00 25 00 | 3 to 4 ft | 85 40 | 7 50 3 50 5 00 | |
| Callosa Rosea. 1½ to 2 ft. 30 2 50 2 to 3 ft. 35 3 00 | | TAMARIX. Tamarisk. Amurense. 3 to 4 ft Hispida aestivalis. | | 2 50 | |
| Callosa Superba. 1½ to 2 ft. 35 3 00 Douglasi Rosea. 2 to 3 ft. 40 3 00 | | 2 to 3 ft | | 3 50 | |
| Fontenayii Alba. 3 to 4 ft | | Dentatum. 2 to 3 ft Lantana. 2 to 3 ft 3 to 4 ft Lentago. | 45 50 | 3 50 4 00 5 00 | |
| 3 to 4 ft | | 3 to 4 ft | 75 | 5 00 6 00 2 50 | 40 00 |
| Nobleana. 2 to 3 ft 30 2 50 3 to 4 ft 35 3 00 Opulifolia and Opulifolia Aurea, 2 to 3 ft 40 3 00 | | Oplulus and Opulus sterile, 3 to 4 ft | 60 | 5 00 | 40 00 30 00 |
| 3 to 4 ft | | 3 to 4 ft | 50 | 3 50 4 00 5 00 | 35 00 |
| 2 to 3 ft 50 4 00 Regeliana. 3 to 4 ft 35 3 00 Rotundifolia Fl. Alba. 2 to 3 ft 35 3 00 3 to 4 ft 40 2 50 4 to 5 ft 60 5 00 | | Eva Rathke. 2 to 3 ft 3 to 4 ft | 75 40 | 5 00 6 00 3 00 4 00 | |
| 4 to 5 ft | | ROSES Prairie or Bush. Climbing Hybrid Perpetuals Hoss | 40 60 60 | 4 00 3 50 5 00 5 00 | 35 00 30 00 45 00 |
| Ulmifolia, 2 to 3 ft 35 3 00 3 to 4 ft 45 4 00 Van Houttei, 1 yr. rooted cuttings 6 to 12 in 10 75 | 6 00 0 00 | Bubiginosa (Sweet Briar). Rubrifolia | 5 0 4 0 6 0 | 4 00 4 00 3 50 5 00 | 30 00 |
| 2 to 3 ft | 0 00 5 00 5 00 | Worth Rugosa Sir Thos, Lipton Rugosa Alice Aldrich Wichuriaua | 60 60 | 5 00 5 00 5 00 4 00 | 45 00 |
| SYMPHORICARPOS. Indian. Currant. | | CLIMBING VI | NES | | |
| | 5 00 | ACTINIDIA. Silver Vine. | | | |
| | 0 00 | Arguta AMPELOPSIS. Engelmanni | 60 | 9 00 | |
| Alba Grandiflora, 2 to 3 ft | | Weitehii | 40 | 2 00 3 00 | |
| 3 to 4 ft | | Radicans "ELASTRUS, Bittersweet, Articulata and Scan- | 40 | 3 50 | |
| 2 to 3 ft | | dens CLEMATIS. Virgin's Bower. Jackmani, Henryi and | 40 | 3 00 | |
| 5 to 6 ft | 5 00 5 00 | Mme, Edouard Andre Paniculata LONICERA, Climbing Hon- | | 4 50 2 50 | |
| 2 to 3 ft | | eysuckle. All varieties LYCIUM Martimony vine. | | 2 50 | |
| | 0 00 5 00 | Chinense | | 2 50 | |
| 3 to 4 ft 85 6 00 | _ 00 | Sinensis alba | 50 | 5 00 | |

HADDY DEDENMIAL DIANTS

0.0

0.0 00

 $0\,0$ 000.0 00

0.0

 $0\,0$

| HARDY PERENNIA | AL. | PLANT | 'S |
|--|-----------------|--|-----|
| | Sach | 10 | 100 |
| ACHILLEA\$ AEGOPODIUM. | 0 15 | \$ 1 25 | |
| Podograria variegatum. | 15 | 1 00 | |
| ANCHUSA Italica | 15 | 1 50 | |
| ANEMONES | 15 | 1 25 | |
| ANTHEMIS tinctoria | 15 | 1 00 | |
| AQUILEGIA. All varieties. | 15 | 1 20 | 10 |
| ARTEMISIA Abrotanum ASCLEPIAS tuberosa | 15 15 | $\begin{array}{ccc} 1 & 00 \\ 1 & 20 \end{array}$ | |
| ASTER, New England | 15 | 1 25 | |
| BOCCONIA cordata | 15 | 1 25 | 10 |
| BOLTONIA | 15 | 1 25 | 10 |
| CANPAMILA | 15 | 1 25 | |
| CENTAUREA macroephala. | 15 | 1 25 | |
| CLEMATIS Davidiana | 35 35 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| CONVALLARIA majalis | 05 | 25 | 2 |
| COREOPSIS lanceolata | | | |
| grandiflora | 15 | 1 25 | 10 |
| DAISY, All varieties DELPHINIUM, All varieties. | 15 15 | $\begin{array}{cccc} 1 & 25 \\ 1 & 25 \end{array}$ | 10 |
| DIANTHUS barbatus | 15 | 1 25 | 10 |
| DICTAMNU albus and | | | |
| ruber | 35 | 3 00 | |
| DIELYTRA spectabilis | 25 | 2 00 | |
| ERYNGIUM EUPATORIUM ageratoides. | 15 15 | $\begin{array}{ccc} 1 & 25 \\ 1 & 25 \end{array}$ | |
| FUNKIA | 25 | 2 00 | |
| GAILLARDIA graudiflora | 15 | 1 25 | |
| GYPSOPHILA paniculata | 15 | 1 25 | 10 |
| HELIANTHUS, Miss Mellish | 15 | 1 20 | |
| HEMEROCALLIS fulva variegata | 20 | 1 80 | |
| Other varieties | 15 | $\frac{1}{1} \frac{30}{25}$ | 10 |
| HEUCHERA sangninea | 15 | 1 25 | |
| HIBISCUS, Crimson Eye Meehan's Mallow Marvels. | $\frac{15}{25}$ | $\frac{1}{2} \frac{00}{00}$ | |
| IRIS Germanica. | | 2 00 | |
| Albert Victor | $\frac{25}{15}$ | $\begin{array}{ccc} 2 & 00 \\ 1 & 20 \end{array}$ | |
| Bridesmaid | 25 | 2 00 | |
| Candicans Celeste | $\frac{10}{15}$ | $\begin{array}{c} 80 \\ 1 & 25 \end{array}$ | |
| Chalcedonia | 10 | 85 | |
| Conqueror of Europe, Cypriana | 50 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| Czar Peter | 10 | 85 | |
| Elegaus Elizabeth | $\frac{25}{15}$ | $\begin{array}{ccc} 2 & 00 \\ 1 & 25 \end{array}$ | |
| Eugene Sue | 25 | 2 00 | |
| Flavesceus | $\frac{20}{10}$ | $\frac{1}{85}$ | |
| Florentina Alba | 10 | 85 | |
| Florentiua Purpurea Halfdan | $\frac{10}{25}$ | $\begin{smallmatrix} & 85 \\ 2 & 90 \end{smallmatrix}$ | |
| Helge | $\frac{40}{20}$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| Her Majesty Khedive | 10 | 85 | |
| King of Iris | $\frac{75}{10}$ | 5 00 85 | |
| L'Avenir Leonidas | 20 | $1 \begin{array}{c} 50 \\ 50 \end{array}$ | |
| Lohengrin | $\frac{50}{10}$ | $\begin{array}{ccc} 3 & 50 \\ & 85 \end{array}$ | |
| Margolin | 10 | 85 | |
| Monhasson | $\frac{20}{75}$ | $\begin{array}{ccc} 1 & 50 \\ 5 & 00 \end{array}$ | |
| Mrs. H. S. Darwin | 15 | $\begin{array}{ccc} 5 & 00 \\ 1 & 25 \end{array}$ | |
| New Hybrida Alpine Josephine | 15 | 1 25 | |
| New Hybrida Alpine | | | |
| Meteor Pallida Dalmatiea | $\frac{10}{35}$ | $\frac{85}{300}$ | |
| Phillida Perfecta | 30 | 2 50 | |
| Pallida Speciosa Perfection | $\frac{10}{50}$ | 85 3 50 | |
| Pres. Thiers | 10 | 85 | |
| Princess Victoria Lonise. Pumila Hybrida Formosa. | $\frac{75}{10}$ | $\frac{5}{85}$ | |
| Purple Queen | 10 | 85 | |

| | | 10. | , |
|---|--|--|---------------------|
| HARDY PERENNIAL PI | | -Conti | med. |
| IRIS GERMANICA—Continu | ed. Each | 10 | 100 |
| Purpurea | \$0.50 \$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 100 |
| Queen of May Rhein Nixe | 75 | 5 00 | |
| Sambuciana Beethoven San Soucii | $\frac{20}{10}$ | $\frac{1}{85}$ | |
| Stenophylia | $\frac{20}{15}$ | 1 50 | |
| Walhalla | 50 | 3 50 | |
| Kaempferi Siberica | $\frac{25}{15}$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 10 00 |
| LILIUM auratum | 20 | 1 50 | , 10 00 |
| Speciosum roseum and rubrum | 20 | 1 50 | |
| Tigrinum | 10 | 85 | |
| Umbellatum | $\frac{10}{15}$ | 80 | 6 00 |
| LYCHNIS Chalcedonica | 15 | 1 00 | |
| LYSIMACHIA clethroides | 15 | 1 00 | |
| PAPAVER orientale | 15 | 1 20 | |
| PAEONIES. Prices quoted are for | divided | and : | l year |
| plans. | | | |
| For 2 year plants odd | | to the to the | price. price. |
| For 4 year plants add Augustie Mieliez | $\frac{150\%}{50}$ | to the | price. |
| Augustie Mieliez Augustin D'Honr | 75 | 7 00 | |
| Beaute de Villecaute Beresford | $\frac{50}{50}$ | $\begin{array}{cccc} 4 & 50 \\ 4 & 50 \end{array}$ | |
| Berloiz | 50 | 4 50 | |
| Comte de Gomer Delicatissima | $\frac{1}{50}$ | $\frac{9}{4} \frac{00}{50}$ | |
| Duchesse de Nemours Duke of Wellington | $\frac{50}{35}$ | $\begin{array}{ccc} 4 & 50 \\ 3 & 00 \end{array}$ | |
| Dunlap Pink | 30 | 2 50 | |
| Felix Crousse Festiva | 60 50 | $\begin{array}{cccc} 5 & 00 \\ 4 & 50 \end{array}$ | |
| Hestiva Marino | 50 | 4 50 | |
| Floral Treasure Fragrans | $\frac{50}{30}$ | $\begin{array}{cc} 4 & 50 \\ 2 & 50 \end{array}$ | |
| Geo. Carvier Gigantea | $\begin{smallmatrix}1&00\\1&00\end{smallmatrix}$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| Grandiflora Carnea Plena. | 50 | 4 50 | |
| Grandiflora Rubra Humei | $\frac{75}{30}$ | $\begin{smallmatrix}7&00\\2&50\end{smallmatrix}$ | |
| Lady Leonora Bramwell La Tulipe | $\frac{40}{75}$ | $\frac{3}{7} \frac{50}{00}$ | |
| Madame Breon | 30 | 2 50 | |
| Madam Cronsse Madame de Riebert | 75 75 | $\frac{7}{7} \frac{00}{00}$ | |
| Madame de Verneville | 50 | 4 50 | |
| Madame Emile Galle Modeste Guerin | $\frac{75}{75}$ | $\begin{array}{ccc} 7 & 00 \\ 7 & 00 \end{array}$ | |
| Monsieur Jules Elie Mrs. Lowe | 75 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| Nectar | 50 | 4 50 | |
| Ne Plus Ultra Officinalis Rubra Fl. Pl. | $\begin{array}{c} 50 \\ 35 \end{array}$ | 4 50 3 00 | |
| Queen Victoria | 30 | 2 50 | |
| Richardson's Rubra Su- Superba | 1 00 | | |
| Sanfoin | 50 50 | 4 50 4 50 | |
| Somerset Souvenier de l'Exjosi- | 50 | 4 50 | |
| tion Universelle | 50 | 4 50 | |
| Taglioni Tennifolia Fl. Pl | $\frac{50}{40}$ | $\begin{array}{ccc} 4 & 50 \\ 3 & 50 \end{array}$ | |
| Tenuifolia Simplex | 25 | 2 00 | |
| Vesper | 75 | 7 00 | |
| PENTSTEMON barbatus Torreyi | 15 | 1 20 | |
| PHLSOSEEGIA Virginica | $\frac{15}{15}$ | $\begin{array}{cc} 1 & 25 \\ 1 & 00 \end{array}$ | 10 00 |
| PLATICODON grandinora. | 15 | 1 20 | |
| POLEMONIUM reptans POTENTILLA | $\frac{15}{15}$ | $\begin{array}{ccc} 1 & 20 \\ 1 & 20 \end{array}$ | |
| PYRETHUM | 15 | 1 20 | |
| RANUNCULUS speciosus | 15 | 1 20 | 10 00 |
| RUDBECKIA. All varieties. | 15 | 1 20 | 10 00 |
| SEDUM spectabile SPIRALA ulmaria flore pleno | $\frac{15}{15}$ | $\begin{array}{ccc} 1 & 20 \\ 1 & 20 \end{array}$ | $10 \ 00 \ 10 \ 00$ |
| VERONICA Virginica | 15 | 1 20 | 20 00 |
| YUCCA filamentosa | 25 | 2 00 | |
| | | | |